Government of Saskatchewan

Crop Report

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 19, September 12, 2013

For the Period September 3 to 9, 2013

Significant harvest progress was made this week, allowing Saskatchewan farmers to move ahead of the five-year harvest average. Thirty per cent of the 2013 provincial crop is combined and 36 per cent is swathed or ready to straight-cut, according to Saskatchewan Agriculture's weekly Crop Report. The five-year average (2008-2012) for this time of year is 28 per cent combined and 31 per cent swathed or ready to straight-cut.

Harvest is most advanced in the southwestern region, where 46 per cent of the crop is combined. Twenty-eight per cent is combined in the southeast; 23 per cent in the east-central region; 38 per cent in the west-central region; 15 per cent in the northeast and 16 per cent in the northwest. Warm weather over the past few weeks has helped speed crop development.

Of the crop that has been harvested, above-average yields are being reported in most areas. Spring wheat average yields are reported as 43 bu/ac, barley 66 bu/ac, canola 35 bu/ac, lentils 1600 lb./ac and peas 42 bu/ac. Average yields vary from region to region, depending on seeding conditions and growing season moisture.

Thunderstorms later in the week dropped over 60 mm of rain in some parts of the south. Province-wide, the week's rainfall ranged from nil to 86 mm. Grasshoppers, wind and heavy rains caused the majority of the reported crop damage.

Across the province, topsoil moisture on cropland is rated as three per cent surplus, 59 per cent adequate, 30 per cent short and eight per cent very short. Hay land and pasture topsoil moisture is rated as one per cent surplus, 54 per cent adequate, 35 per cent short and 10 per cent very short. Some areas in the western and central regions are very dry, affecting pasture productivity.

Farmers are busy desiccating, swathing and combining.

Saskatchewan Crop Insurance Reminder
The deadline to seed fall rye and winter wheat and be eligible for winterkill insurance is September 15.

One year ago
Fifty-six per cent of the 2012 crop had been combined. Strong winds damaged canola swaths.

Follow the 2013 Crop Report on Twitter @SKGovAg

Harvest Progress in SK Per cent combined All Crops	
Sept 9/13	30
5 year avg. (2008-2012)	28
Sept 11/12	56
Sept 6/11	32
Sept 7/10	13
Sept 8/09	19
Sept 7/08	22

Saskatchewan Harvest September 9, 2013 % combined	
Winter wheat	90
Fall rye*	98
Spring wheat	21
Durum	24
Oats	11
Barley	27
Canola	25
Mustard	44
Lentils	69
Peas	86
Chickpeas	N/A

*includes five per cent 'other'

For further information, contact: Daphne Cruise, PAg,
Regional Crop Specialist, Agriculture Knowledge Centre,
Toll Free: 1-866-457-2377, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.

Agriculture and Agri-Food Canada | Agriculture et Agroalimentaire Canada

SCIC
SASKATCHEWAN CROP INSURANCE CORPORATION

Southeastern Saskatchewan (Crop District 1 – Carnduff, Estevan, Redvers, Moosomin and Kipling areas; Crop District 2 – Weyburn, Milestone, Moose Jaw, Regina and Qu'Appelle areas; Crop District 3ASE – Radville and Lake Alma areas)

Twenty-eight per cent of the 2013 crop is combined and 32 per cent swathed or ready to straight-cut. The warm weather over the past several weeks has helped speed crop development. In Crop District 3ASE, 42 per cent of the crop is combined; in 2A, 39 per cent is combined and in 1A, 1B and 2B, 24 per cent is combined. Above-average crop yields with good quality is being reported in the majority of the region.

Rain showers later in the week delayed harvest, with recorded rainfall ranging from nil to 86 mm (Carnduff area). Topsoil moisture conditions on cropland are rated as nine per cent surplus, 72 per cent adequate, 16 per cent short and three per cent very short. Hay land and pasture moisture is rated as two per cent surplus, 68 per cent adequate, 21 per cent short and nine per cent very short. The rain received over the past week has helped alleviate dry conditions on pasture for the time being, as well as provided some moisture to those planning to seed fall crops.

Very little crop damage was reported this past week. Grasshoppers are causing some minor damage on crops coming into maturity. Many crop reporters have commented that grasshopper populations are very high this fall. Flea beetles are starting to show up in some areas. Producers are busy harvesting and seeding fall crops.

Southwestern Saskatchewan (Crop District 3ASW – Coronach, Assiniboia and Ogema areas; Crop District 3AN – Gravelbourg, Mossbank, Mortlach and Central Butte areas; Crop District 3B – Kyle, Swift Current , Shaunavon and Ponteix areas; Crop District 4 – Consul, Maple Creek and Leader areas)

The region leads the province in harvest progress. Forty-six per cent of the 2013 crop is in the bin and an additional 21 per cent is swathed or ready to straight-cut. Four per cent of the flax is swathed or ready to straight-cut. Crop District 4B has 75 per cent of the crop combined; 3BN has 52 per cent, 4A has 44 per cent, 3BS has 38 per cent, 3AN has 35 per cent and 3ASW has 32 per cent of the crop combined. Most crop reporters are estimating yields to be well above average this year.

Thunderstorms rolled through the region late in the week, delaying harvest. Most areas recorded rain, ranging from trace to 62 mm (Fife Lake). Crop reporters have indicated some areas received close to 125 mm of rain over the weekend.

Cropland topsoil moisture is rated as three per cent surplus, 76 per cent adequate and 21 per cent short. Hay land and pasture topsoil moisture is rated as 69 per cent adequate, 29 per cent short and two per cent very short. The majority of Crop District 3BN missed the rain and 44 per and 49 per cent of cropland and hay land, respectively, is short of topsoil moisture. In those areas where it fell, the rain was welcomed as it helped alleviate dry pastures conditions and provided some topsoil moisture for those planning to seed winter

cereals. Crop lodging and localized flooding has occurred in areas that received the large downpours.

Crop reporters are indicating a high grasshopper population, but damage is minimal on the crops. There are some reports of ergot in durum samples. Bleaching of swathed cereals is predicted in areas with high rainfall. Some producers are seeding winter wheat. Farmers are busy with harvest operations.

East-Central Saskatchewan (Crop District 5 – Melville, Yorkton, Cupar, Kamsack, Foam Lake, Preeceville and Kelvington areas; Crop District 6A – Lumsden, Craik, Watrous and Clavet areas)

The region made significant harvest progress over last week, and producers now have 23 per cent of the crop combined. Twenty-one per cent is swathed or ready to straight-cut. Most areas received no rain over the week, so harvest operations were steady. Crop District 5A has 21 per cent combined; 5B has 15 per cent and 6A has 31 per cent combined. Crop reporters are indicating the majority of the crop has advanced far enough to avoid any significant damage from frost. Rainfall in the region ranged from nil to 10 mm (Quill Lake area). Crop reporters are indicating crop yields are above average, and crop quality is good.

Cropland topsoil moisture is rated as 47 per cent adequate, 44 per cent short and nine per cent very short. Hay land and pasture topsoil moisture is rated as 38 per cent adequate, 51 per cent short and eleven per cent very short. Crop District 6A is reporting 17 and 21 per cent of crop land and hay land and pasture, respectively, are very short of topsoil moisture. Some areas could use a rain to alleviate moisture stress on pastures and to replenish topsoil moisture for seeding winter cereals.

Very little crop damage was reported in the region this week. Farmers are busy harvesting and hauling bales.

West-Central Saskatchewan (Crop Districts 6B – Hanley, Outlook, Loreburn, Saskatoon and Arelee areas; Crop District 7 – Rosetown, Kindersley, Eston, Major, Kerrobert, Macklin, Wilkie and Biggar areas)

Thirty-eight per cent of the 2013 crop is combined and 38 per cent is swathed or ready to straight-cut. Most areas recorded no rain during the week, allowing combines to keep moving in the field. Rainfall in the region ranged from nil to 8 mm (Craik area). Crop districts 6B and 7A have 41 per cent combined and Crop District 7B has 32 per cent combined. Crop reporters are indicating yields are well above average in most areas of the region.

Topsoil moisture conditions are rated as 31 per cent adequate, 46 per cent short and 23 per cent very short on cropland. Hay land and pasture topsoil moisture conditions are rated as 21 per cent adequate, 44 per cent short and 34 per cent very short. All crop

districts in the region are reporting over half of the cropland and hay land is short of topsoil moisture. Crop District 6B is reporting 44 and 50 per cent of cropland and hay land and pasture, respectively, are very short of topsoil moisture. Soil conditions are very dry in the region, as most areas have not had a significant amount of rain for a month or more. Dry conditions have resulted in a few grass, stubble or combine fires.

Grasshopper populations are high, but very little damage was reported as most crops are into the maturity stages. Dry conditions are causing the majority of crop stress. High winds in crop districts 7A and 7B caused some canola swaths to blow around. Producers are busy harvesting and hauling hay.

Northeastern Saskatchewan (Crop District 8 – Hudson Bay, Tisdale, Melfort, Carrot River, Humboldt, Kinistino, Cudworth and Aberdeen areas; Crop District 9AE – Prince Albert, Choiceland and Paddockwood areas)

Fifteen per cent of the crop is in the bin and 44 per cent is swathed or ready to straight-cut. As a result, combines will be in full swing in the next few days if the weather cooperates. Very little rain was reported in the region, ranging from nil to 10 mm (Porcupine Plain area). Crop District 8A has 18 per cent of the crop combined, 8B 14 per cent and 9AE seven per cent. Average to above-average yields are being reported in the region, depending on the amount of excess spring and growing season moisture.

Topsoil moisture on cropland is rated as one per cent surplus, 72 per cent adequate, 24 per cent short and three per cent very short. Topsoil moisture on hay land and pasture is reported three per cent short, 66 per cent adequate, 29 per cent short and two per cent very short.

Very little crop damage was reported in the region. Producers are busy harvesting. There are a few reports of winter cereals being seeded on land that was too wet to seed this spring.

Northwestern Saskatchewan (Crop District 9AW – Shellbrook, North Battleford, Big River and Hafford areas; Crop District 9B – Meadow Lake, Turtleford, Pierceland, Maidstone and Lloydminster areas)

Sixteen per cent of the crop is in the bin, and 44 per cent is swathed or ready to straight-cut. Combines will be rolling in the field in the next few days, if the nice harvest weather continues. Most areas received no rain during the past week. Harvest is furthest advanced in Crop District 9AW, where 20 per cent of the crop has been combined. Crop District 9B has 13 per cent combined. Average to above-average yields are being reported.

Topsoil moisture on cropland is rated as 56 per cent adequate, 31 per cent short and 13 per cent very short. Topsoil moisture on hay land and pasture is reported as 46 per cent adequate, 40 per cent short and 14 per cent very short. Pasture conditions in some areas

are very dry. There are a couple reports of cattle being moved home due to dry conditions and inadequate pasture growth.

Very little crop damage was reported in the region. Producers are busy harvesting and hauling bales.

Provincial Estimated Crop Yields- September 9, 2013*

	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Flax
South east	42	43	45	42	73	66	24
South west	40	36	36	40	65	62	23
East Central	47	38	45	37	86	69	27
West Central	44	33	41	41	76	67	28
North east	45	30	43	N/A	90	65	28
North west	35	25	47	N/A	79	69	25
	Canola	**Mustard**	**Pea**	**Lentil**	**Canaryseed**	**Chickpea**	**Sunflower**
South east	35	1100	36	1300	940	1000	N/A
South west	33	1200	42	1800	1200	1500	N/A
East Central	36	1400	40	1700	1200	1200	N/A
West Central	37	1200	47	1500	1200	N/A	N/A
North east	33	N/A	47	N/A	N/A	N/A	N/A
North west	36	N/A	40	N/A	N/A	N/A	N/A

* Crop yield predictions at this point in time. Please keep in mind these are regional averages, and yields can vary greatly across an area.
** Mustard, lentil, canaryseed, chickpea and sunflower in lbs/ac. All other crops in bu/ac.

Saskatchewan Harvest Progress September 9, 2013

Winter Wheat	% Standing	% in swath	% ready to straight combine	% combined	
southeast	1	3	5	91	
southwest	1	0	6	93	
east central	1	1	10	88	
west central	12	5	0	83	
northeast	N/A	N/A	N/A	N/A	
northwest	N/A	N/A	N/A	N/A	
province	**1**	**2**	**7**	**90**	

Spring Wheat	% Standing	% in swath	% ready to straight combine	% combined	
southeast	49	17	16	18	
southwest	45	3	22	30	
east central	33	19	26	22	
west central	33	17	28	22	
northeast	39	14	32	15	
northwest	46	16	21	17	
province	**40**	**15**	**24**	**21**	
Durum	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	65	10	8	17	
southwest	46	3	22	29	
east central	60	8	14	18	
west central	36	12	35	17	
northeast	N/A	N/A	N/A	N/A	
northwest	N/A	N/A	N/A	N/A	
province	**50**	**6**	**20**	**24**	
Oats	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	**% other (greenfeed)**
southeast	66	18	3	12	1
southwest	38	11	11	26	14
east central	64	21	4	11	0
west central	62	14	9	9	6
northeast	69	8	9	14	0
northwest	71	13	11	2	3
province	**65**	**16**	**7**	**11**	**1**
Barley	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	41	19	8	32	
southwest	30	4	25	41	
east central	40	25	9	26	
west central	33	18	23	26	
northeast	45	18	11	26	
northwest	53	25	10	12	
province	**39**	**18**	**16**	**27**	
Lentils	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	20	7	13	60	
southwest	11	2	12	75	
east central	34	2	13	51	
west central	14	2	12	72	
northeast	N/A	N/A	N/A	N/A	
northwest	N/A	N/A	N/A	N/A	
province	**15**	**3**	**13**	**69**	

Peas	% Standing	% in swath	% ready to straight combine	% combined	
southeast	7	3	4	86	
southwest	3	0	4	93	
east central	4	6	9	81	
west central	6	0	11	83	
northeast	8	1	6	85	
northwest	4	7	20	69	
province	**5**	**2**	**7**	**86**	
Canola	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	16	55	0	29	
southwest	8	32	8	52	
east central	16	62	4	18	
west central	6	41	6	47	
northeast	33	56	1	10	
northwest	22	66	0	12	
province	**17**	**55**	**3**	**25**	
Mustard	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	47	46	0	7	
southwest	24	1	15	60	
east central	16	24	28	32	
west central	39	32	11	18	
northeast	N/A	N/A	N/A	N/A	
northwest	N/A	N/A	N/A	N/A	
province	**29**	**14**	**13**	**44**	
Flax	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	94	1	5	0	
southwest	96	0	3	1	
east central	98	1	1	0	
west central	99	1	0	0	
northeast	92	5	1	0	
northwest	N/A	N/A	N/A	N/A	
province	**96**	**1**	**3**	**0**	

Crop Districts and Rural Municipalities in Saskatchewan



Weekly Rainfall

for the week ending September 9, 2013



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan
Ministry of Agriculture

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: September 11, 2013

© 2013 Government of Saskatchewan

Weekly Rainfall Summary

(in millimeters) 1 inch = 25 mm for the period September 3 to 9, 2013

Crop Dist.	R.M. No.		Name	Past Week	Since 1-Apr
1A	2		Mount Pleasant	86	379
	3		Enniskillen	32	433
	33		Moose Creek	N/A	241
	34		Browning	24	290
	61		Antler	N/A	502
	63		Moose Mountain	23	415
	64		Brook	22	266
	65		Tecumseh	8	369
1B	91		Maryfield	15	286
	92		Walpole	N/A	80
	122		Martin	10	387
	123		Silverwood	2	304
	124		Kingsley	4	211
	125	A	Chester	1	257
	125	B	Chester	2	237
	151	A	Rocanville	NIL	259
	151	B	Rocanville	NIL	233
	153		Willowdale	N/A	N/A
	154		Elcapo	NIL	262
	155	A	Wolseley	NIL	253
	155	B	Wolseley	NIL	215
2A	67		Weyburn	13	314
	68		Brokenshell	10	340
	97		Wellington	1.5	205
	99		Caledonia	N/A	N/A
2B	127	A	Francis	3	277
	127	B	Francis	5	226
	129		Bratt's Lake	NIL	230
	131	A	Baildon	4	339
	131	B	Baildon	N/A	332
	156	A	Indian Head	1	258
	156	B	Indian Head	NIL	364
	160	A	Pense	N/A	298
	160	B	Pense	N/A	245
	161		Moose Jaw	3	327
	162		Caron	2	283
	191		Marquis	1	177
3ASE	38	A	Laurier	14	370
	38	B	Laurier	13	280
	39	A	The Gap	14	359
	39	B	The Gap	9	313
3ASW	10		Happy Valley	29	250
	11		Hart Butte	N/A	205
	12		Poplar Valley	62	363
	40	A	Bengough	44	362
	40	B	Bengough	37	541
	42		Willow Bunch	41	333
	43	A	Old Post	30	354
	43	B	Old Post	N/A	N/A
	70		Key West	N/A	84
	71		Excel	N/A	208
	72	A	Lake of the Rivers	N/A	N/A
	72	B	Lake of the Rivers	N/A	135
	73	A	Stonehenge	40.1	374
	73	B	Stonehenge	39	318
	74	A	Wood River	25	332
	74	B	Wood River	N/A	3
	74	C	Wood River	N/A	N/A
3AN	101		Terrell	6	230
	102		Lake Johnston	14	193
	103	A	Sutton	20	268
	103	B	Sutton	N/A	N/A
	132	A	Hillsborough	5	275
	132	B	Hillsborough	1	295
	134		Shamrock	N/A	284
	164	A	Chaplin	17.5	235
	164	B	Chaplin	N/A	N/A
	193	A	Eyebrow	NIL	246
	193	B	Eyebrow	N/A	290
	194		Enfield	N/A	N/A
	224		Maple Bush	N/A	199
3BS	17	A	Val Marie	N/A	364
	17	B	Val Marie	N/A	N/A
	45		Manikota	37	412
	75	A	Pinto Creek	40	293
	75	B	Pinto Creek	N/A	267
	76		Auvergne	30	267
	77		Wise Creek	26	345
	78	A	Grassy Creek	14	371
	78	B	Grassy Creek	N/A	291
	105		Glenbain	54	305
	106		Whiska Creek	23	247
	107	A	Lac Pelletier	33	262
	107	B	Lac Pelletier	N/A	44
	108		Bone Creek	17	352
3BN	138	A	Webb	37	306
	138	B	Webb	38.8	271
	166	A	Excelsior	9	275
	166	B	Excelsior	N/A	N/A
	167		Sask. Landing	4	244
	168	A	Riverside	20	242
	168	B	Riverside	1	284
	226	A	Victory	N/A	171
	226	B	Victory	N/A	30
	228		Lacadena	3	215
	255		Coteau	12	167
	257		Monet	2	277
4A	19		Frontier	N/A	N/A
	49		White Valley	20	303
	51	A	Reno	25	281
	51	B	Reno	N/A	N/A
	79		Arlington	16	400
	109		Carmichael	47	308
	110		Piapot	60	290
	111		Maple Creek	45	313
4B	139		Gull Lake	26	252
	141		Big Stick	34	245
	142		Enterprise	50	283
	169		Pittville	5	249
	231		Happyland	N/A	164
5A	183	A	Fertile Belt	NIL	356
	183	B	Fertile Belt	NIL	287
	186		Abernethy	1	184
	211		Churchbridge	NIL	282
	213		Saltcoats	NIL	295
	214		Cana	N/A	25
	216		Tullymet	NIL	194
	217	A	Lipton	N/A	N/A
	241		Calder	N/A	283
	243		Wallace	N/A	283
	245	A	Garry	N/A	261
	245	B	Garry	NIL	234
	245	C	Garry	NIL	222
	246		Ituna Bon Accord	NIL	216
	247		Kellross	NIL	234
	248		Touchwood	N/A	188
5B	271		Cote	NIL	314
	273		Sliding Hills	N/A	200
	277		Emerald	NIL	244
	305		Invermay	NIL	324
	307		Elfros	NIL	246
	308	A	Big Quill	NIL	200
	308	B	Big Quill	NIL	245
	331		Livingston	2	313
	333		Clayton	N/A	39
	334		Preeceville	NIL	218
	336		Sasman	NIL	183
	337	A	Lakeview	4	262
	337	B	Lakeview	N/A	22
	338		Lakeside	10	250
	366		Kelvington	NIL	221
	367		Ponass Lake	N/A	225
6A	190	A	Dufferin	NIL	253
	190	B	Dufferin	NIL	212
	190	C	Dufferin	N/A	217
	190	D	Dufferin	N/A	42
	190	E	Dufferin	N/A	88
	219		Longlaketon	NIL	241
	220		Mckillop	NIL	297
	221		Sarnia	1	284
	222		Craik	N/A	346
	251		Big Arm	1	296
	252		Arm River	8	320
	279		Mount Hope	NIL	226
	282		McCraney	1	245
	309		Prairie Rose	NIL	277
	310		Usborne	N/A	N/A
	313		Lost River	N/A	239
	339		Leroy	NIL	269
	340		Wolverine	NIL	296
	341		Viscount	NIL	288
	343	A	Blucher	1	256
	343	B	Blucher	NIL	105
6B	283		Rosedale	N/A	214
	284		Rudy	5	225
	285		Fertile Valley	NIL	196
	286		Milden	N/A	214
	314		Dundurn	5	236
	344		Corman Park	NIL	149
	346		Perdue	NIL	217
	376	A	Eagle Creek	N/A	149
	376	B	Eagle Creek	NIL	187
	403	A	Rosthern	N/A	191
	403	B	Rosthern	N/A	230
7A	259		Snipe Lake	N/A	184
	260	A	Newcombe	N/A	105
	260	B	Newcombe	N/A	169
	261		Chesterfield	N/A	56
	287		St. Andrews	N/A	224
	288		Pleasant Valley	NIL	220
	290	A	Kindersley	1	189
	290	B	Kindersley	2	106
	290	C	Kindersley	N/A	207
	292		Milton	N/A	268
	317	A	Marriott	N/A	175
	317	B	Marriott	NIL	189
	317	C	Marriott	N/A	N/A
	318		Mountain View	NIL	259
	320	A	Oakdale	NIL	212
	320	B	Oakdale	4	208
	321		Prairiedale	N/A	163
7B	347	A	Biggar	NIL	183
	347	B	Biggar	N/A	246
	350	A	Mariposa	NIL	135
	350	B	Mariposa	NIL	235
	351		Progress	1	216
	352		Heart's Hill	5	315
	377		Glenside	NIL	194
	378	A	Rosemount	NIL	166
	378	B	Rosemount	NIL	219
	379		Reford	NIL	186
	381		Grass Lake	N/A	188
	382		Eye Hill	NIL	197
	409	A	Buffalo	N/A	250
	409	B	Buffalo	N/A	N/A
	410		Round Valley	NIL	164
	411		Senlac	N/A	N/A
8A	395		Porcupine	10	216
	397		Barrier Valley	1.39	205
	428		Star City	N/A	286
	456		Arborfield	1	253
	457		Connaught	N/A	284
	458		Willow Creek	3	224
	486		Moose Range	NIL	271
	487	A	Nipawin	NIL	239
	487	B	Nipawin	N/A	N/A
8B	369		St. Peter	N/A	209
	370		Humboldt	NIL	220
	371		Bayne	N/A	293
	372		Grant	NIL	347
	400	A	Three Lakes	N/A	3
	400	B	Three Lakes	NIL	291
	402		Fish Creek	NIL	263
	429		Flett's Springs	NIL	296
	431		St. Louis	N/A	N/A
	459		Kinistino	NIL	301
	460		Birch Hills	NIL	247
9AE	461		Prince Albert	N/A	22
	488		Torch River	NIL	313
	491		Buckland	2	325
9AW	406		Mayfield	NIL	197
	435		Redberry	NIL	213
	436		Douglas	NIL	202
	463		Duck Lake	NIL	272
	466		Meeting Lake	N/A	N/A
	467	A	Round Hill	NIL	309
	467	B	Round Hill	N/A	217
	494		Canwood	N/A	N/A
	496	A	Spiritwood	N/A	N/A
	496	B	Spiritwood	N/A	131
	497		Medstead	NIL	264
9B	438		Battle River	NIL	264
	440		Hillsdale	NIL	241
	442		Manitou Lake	2.3	317
	498	A	Parkdale	NIL	199
	498	B	Parkdale	NIL	195
	499	A	Mervin	NIL	304
	499	B	Mervin	N/A	24
	501	A	Frenchman Butte	NIL	304
	501	B	Frenchman Butte	NIL	260
	501	C	Frenchman Butte	NIL	239
	502	A	Britannia	N/A	N/A
	502	B	Britannia	NIL	210
	561		Loon Lake	NIL	212
	588	A	Meadow Lake	NIL	254
	588	B	Meadow Lake	NIL	309
	588	C	Meadow Lake	NIL	350
	588	D	Meadow Lake	N/A	293
	588	E	Meadow Lake	N/A	N/A
	622		Beaver River	NIL	239

Municipality No: A, B, C, D and E - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Cumulative Rainfall

From: April 1, 2013
To: September 9, 2013



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan
Ministry of Agriculture

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: September 11, 2013

© 2013 Government of Saskatchewan

Cropland Topsoil Moisture Conditions

September 10, 2013



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan
Ministry of Agriculture

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: September 11, 2013

© 2013 Government of Saskatchewan

Hay and Pasture Topsoil Moisture Conditions

September 10, 2013



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan
Ministry of Agriculture

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: September 11, 2013

© 2013 Government of Saskatchewan